### Fully Homomorphic Encryption

M.L. de Groot

University of Amsterdam

October 20, 2014

M.L. de Groot (2014-2015)

Fully Homomorphic Encryption

October 20, 2014 1 / 10

3

A D A D A D A



#### 2 Fully Homomorphic Encryption

- Drawbacks
- History



# Homomorphic Encryption

#### Homomorphism

- Property
- Encryption that allows computation on ciphertext that corresponds to the same computations on the plaintext
- To perform arithmetic operations over encrypted bits

### Operations

- $Enc(b_1) + Enc(b_2) = Enc(b_1 + b_2 \mod 2)$
- $Enc(b_1) \cdot Enc(b_2) = Enc(b_1 \cdot b_2 \mod 2)$

くほと くほと くほと

### Example: RSA

$$Enc(m_1) = m_1^e \mod N$$
  
 $Enc(m_2) = m_2^e \mod N$ 

Only supports multiplication: Somewhat Homomorphic Encryption (SHE)

M.L. de Groot (2014-2015)

Fully Homomorphic Encryption

October 20, 2014 4 / 10

3

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

Fully Homomorphic Encryption

## Fully Homomorphic Encryption

With addition and multiplication any operation can be supported!

#### **Fully Homomorphic Encryption (FHE)** Homomorphism under both addition *and* multiplication

周 ト イ ヨ ト イ ヨ ト

### Drawbacks

- Security
  - Can we control what is computed?
  - Structural information
- Computationally demanding
- Difficult to design

3

-

Image: A image: A



- 1978: Introduced by Rivest
- 2009: First to design Craig Gentry
  - Ideal lattices
  - Inefficient
- Since 2009: Refinements and improvements

• • = • • = •

## Applications

Barak: "FHE is the swiss-army knife of cryptography"

- Arithmetic operations over encrypted bits
- No secret key needed

3

A D A D A D A

## Applications

- Cloud computing
- Private queries in a search engine
- Secure multi-party computation
- Electronic voting

3

-

Applications

## Questions?

M.L. de Groot (2014-2015)

Fully Homomorphic Encryption

October 20, 2014 10 / 10