

Example: Letter Frequencies

| i | a_i | p_i | | |
|-----|-------|--------|---|---|
| 1 | a | 0.0575 | a | ■ |
| 2 | b | 0.0128 | b | ■ |
| 3 | c | 0.0263 | c | ■ |
| 4 | d | 0.0285 | d | ■ |
| 5 | e | 0.0913 | e | ■ |
| 6 | f | 0.0173 | f | ■ |
| 7 | g | 0.0133 | g | ■ |
| 8 | h | 0.0313 | h | ■ |
| 9 | i | 0.0599 | i | ■ |
| 10 | j | 0.0006 | j | ■ |
| 11 | k | 0.0084 | k | ■ |
| 12 | l | 0.0335 | l | ■ |
| 13 | m | 0.0235 | m | ■ |
| 14 | n | 0.0596 | n | ■ |
| 15 | o | 0.0689 | o | ■ |
| 16 | p | 0.0192 | p | ■ |
| 17 | q | 0.0008 | q | ■ |
| 18 | r | 0.0508 | r | ■ |
| 19 | s | 0.0567 | s | ■ |
| 20 | t | 0.0706 | t | ■ |
| 21 | u | 0.0334 | u | ■ |
| 22 | v | 0.0069 | v | ■ |
| 23 | w | 0.0119 | w | ■ |
| 24 | x | 0.0073 | x | ■ |
| 25 | y | 0.0164 | y | ■ |
| 26 | z | 0.0007 | z | ■ |
| 27 | – | 0.1928 | – | ■ |

Figure 2.1. Probability distribution over the 27 outcomes for a randomly selected letter in an English language document (estimated from *The Frequently Asked Questions Manual for Linux*). The picture shows the probabilities by the areas of white squares.

Example: Letter Frequencies

| i | a_i | p_i | |
|-----|-------|--------|---|
| 1 | a | 0.0575 | a |
| 2 | b | 0.0128 | b |
| 3 | c | 0.0263 | c |
| 4 | d | 0.0285 | d |
| 5 | e | 0.0913 | e |
| 6 | f | 0.0173 | f |
| 7 | g | 0.0133 | g |
| 8 | h | 0.0313 | h |
| 9 | i | 0.0599 | i |
| 10 | j | 0.0006 | j |
| 11 | k | 0.0084 | k |
| 12 | l | 0.0335 | l |
| 13 | m | 0.0235 | m |
| 14 | n | 0.0596 | n |
| 15 | o | 0.0689 | o |
| 16 | p | 0.0192 | p |
| 17 | q | 0.0008 | q |
| 18 | r | 0.0508 | r |
| 19 | s | 0.0567 | s |
| 20 | t | 0.0706 | t |
| 21 | u | 0.0334 | u |
| 22 | v | 0.0069 | v |
| 23 | w | 0.0119 | w |
| 24 | x | 0.0073 | x |
| 25 | y | 0.0164 | y |
| 26 | z | 0.0007 | z |
| 27 | - | 0.1928 | - |



Figure 2.1. Probability distribution over the 27 outcomes for a randomly selected letter in an English language document (estimated from *The Frequently Asked Questions Manual for Linux*). The picture shows the probabilities by the areas of white squares.




Figure 2.2. The probability distribution over the 27×27 possible bigrams xy in an English language document, *The Frequently Asked Questions Manual for Linux*.

Example: Surprisal Values

from <http://www.umsl.edu/~fraundorfp/egsurpri.html>

| situation | probability $p = 1/2^{\text{\#bits}}$ | surprisal $\text{\#bits} = \ln_2[1/p]$ |
|---|---|---|
| one equals one | 1 | 0 bits |
| wrong guess on a 4-choice question | 3/4 | $\ln_2[4/3] \sim 0.415$ bits |
| correct guess on true-false question | 1/2 | $\ln_2[2] = 1$ bit |
| correct guess on a 4-choice question | 1/4 | $\ln_2[4] = 2$ bits |
| seven on a pair of dice | $6/6^2 = 1/6$ | $\ln_2[6] \sim 2.58$ bits |
| snake-eyes on a pair of dice | $1/6^2 = 1/36$ | $\ln_2[36] \sim 5.17$ bits |
| random character from the 8-bit ASCII set | 1/256 | $\ln_2[2^8] = 8$ bits = 1 byte |
| N heads on a toss of N coins | $1/2^N$ | $\ln_2[2^N] = N$ bits |
| harm from a smallpox vaccination | $\sim 1/1,000,000$ | $\sim \ln_2[10^6] \sim 19.9$ bits |
| win the UK Jackpot lottery | 1/13,983,816 | ~ 23.6 bits |
| RGB monitor choice of one pixel's color | $1/256^3 \sim 5.9 \times 10^{-8}$ | $\ln_2[2^{8 \cdot 3}] = 24$ bits |
| <u>gamma ray burst</u> mass extinction event TODAY! | $< 1/(10^9 \cdot 365) \sim 2.7 \times 10^{-12}$ | hopefully > 38 bits |
| availability to reset 1 gigabyte of random access memory | $1/2^{8E9} \sim 10^{-2.4E9}$ | 8×10^9 bits $\sim 7.6 \times 10^{-14}$ J/K |
| choices for 6×10^{23} Argon atoms in a 24.2L box at 295K | $\sim 1/2^{1.61E25} \sim 10^{-4.8E24}$ | $\sim 1.61 \times 10^{25}$ bits ~ 155 J/K |
| one equals two | 0 | ∞ bits |

| i | a_i | p_i | $h(p_i)$ |
|-----|-------|-------|----------|
| 1 | a | .0575 | 4.1 |
| 2 | b | .0128 | 6.3 |
| 3 | c | .0263 | 5.2 |
| 4 | d | .0285 | 5.1 |
| 5 | e | .0913 | 3.5 |
| 6 | f | .0173 | 5.9 |
| 7 | g | .0133 | 6.2 |
| 8 | h | .0313 | 5.0 |
| 9 | i | .0599 | 4.1 |
| 10 | j | .0006 | 10.7 |
| 11 | k | .0084 | 6.9 |
| 12 | l | .0335 | 4.9 |
| 13 | m | .0235 | 5.4 |
| 14 | n | .0596 | 4.1 |
| 15 | o | .0689 | 3.9 |
| 16 | p | .0192 | 5.7 |
| 17 | q | .0008 | 10.3 |
| 18 | r | .0508 | 4.3 |
| 19 | s | .0567 | 4.1 |
| 20 | t | .0706 | 3.8 |
| 21 | u | .0334 | 4.9 |
| 22 | v | .0069 | 7.2 |
| 23 | w | .0119 | 6.4 |
| 24 | x | .0073 | 7.1 |
| 25 | y | .0164 | 5.9 |
| 26 | z | .0007 | 10.4 |
| 27 | - | .1928 | 2.4 |

$$\sum_i p_i \log_2 \frac{1}{p_i} \quad 4.1$$

Table 2.9. Shannon information contents of the outcomes a–z.

MacKay's Mnemonic

convex

concave

MacKay's Mnemonic

convex



concave

MacKay's Mnemonic

convex



concave



MacKay's Mnemonic

convex

convec-smile

concave



MacKay's Mnemonic

convex

convec-smile




concave



conca-frown






Examples: Convex & Concave Functions







Examples: Convex & Concave Functions








Examples: Convex & Concave Functions









Examples: Convex & Concave Functions



Examples: Convex & Concave Functions



Examples: Convex & Concave Functions



Binary Entropy Function





Figure 1.3. The binary entropy function.

Order These in Terms of Entropy



Order These in Terms of Entropy



Mutual Information and Entropy

Theorem: Relationship between mutual information and entropy.




$$I(X; Y) = H(X) - H(X|Y)$$

$$I(X; Y) = H(Y) - H(Y|X)$$

$$I(X; Y) = H(X) + H(Y) - H(X, Y)$$


$$I(X; Y) = I(Y; X) \quad (\text{symmetry})$$

$$I(X; X) = H(X) \quad (\text{“self-information”})$$




Chain Rule for Entropy

Theorem: (Chain rule for entropy): $(X_1, X_2, \dots, X_n) \sim p(x_1, x_2, \dots, x_n)$




$$H(X_1, X_2, \dots, X_n) = \sum_{i=1}^n H(X_i | X_{i-1}, \dots, X_1)$$



Chain Rule for Mutual Information

Theorem: (Chain rule for mutual information)

$$I(X_1, X_2, \dots, X_n; Y) = \sum_{i=1}^n I(X_i; Y | X_{i-1}, X_{i-2}, \dots, X_1)$$



What are the Grey Regions?

