

---

# Yet More Modal Logics of Preference Change and Belief Revision

Jan van Eijck

Centre for Mathematics and Computer Science (CWI)  
Kruislaan 413  
1098 SJ Amsterdam, The Netherlands  
jve@cwi.nl

---

## Abstract

We contrast Bonanno’s ‘Belief Revision in a Temporal Framework’ (Bonanno, 2008) with preference change and belief revision from the perspective of dynamic epistemic logic (DEL). For that, we extend the logic of communication and change of van Benthem et al. (2006b) with relational substitutions (van Benthem, 2004) for preference change, and show that this does not alter its properties. Next we move to a more constrained context where belief and knowledge can be defined from preferences (Grove, 1988; Board, 2002; Baltag and Smets, 2006, 2008b), prove completeness of a very expressive logic of belief revision, and define a mechanism for updating belief revision models using a combination of action priority update (Baltag and Smets, 2008b) and preference substitution (van Benthem, 2004).

## 1 Reconstructing AGM style belief revision

Bonanno’s paper offers a rational reconstruction of Alchourrón Gärdenfors Makinson style belief revision (AGM belief revision) (Alchourrón et al., 1985; see also Gärdenfors, 1988 and Gärdenfors and Rott, 1995), in a framework where modalities  $B$  for single agent belief and  $I$  for being informed are mixed with a next time operator  $\bigcirc$  and its inverse  $\bigcirc^{-1}$ .

Both the AGM framework and Bonanno’s reconstruction of it do not explicitly represent the triggers that cause belief change in the first place.  $I\varphi$  expresses that the agent is informed that  $\varphi$ , but the communicative action that causes this change in information state is not represented. Also,  $\varphi$  is restricted to purely propositional formulas. Another limitation that Bonanno’s reconstruction shares with AGM is that it restricts attention to a single agent: changes of the beliefs of agents about the beliefs of other agents are not analyzed. In these respects (Bonanno, 2008) is close to Dynamic Doxastic Logic (DDL), as developed by Segerberg (1995, 1999).

AGM style belief revision was proposed more than twenty years ago, and has grown into a paradigm in its own right in artificial intelligence. In the

meanwhile rich frameworks of dynamic epistemic logic have emerged that are quite a bit more ambitious in their goals than AGM was when it was first proposed. AGM analyzes operations  $+\varphi$  for expanding with  $\varphi$ ,  $-\varphi$  for retracting  $\varphi$  and  $*\varphi$  for revising with  $\varphi$ . It is formulated in a purely syntactic way, it hardly addresses issues of semantics, it does not propose sound and complete axiomatisations. It did shine in 1985, and it still shines now, but perhaps in a more modest way.

Bonanno's paper creates a nice link between this style of belief revision and epistemic/doxastic logic. While similar in spirit to Segerberg's work, it addresses the question of the rational reconstruction of AGM style belief revision more explicitly. This does add quite a lot to that framework: clear semantics, and a sound and complete axiomatisation. Still, it is fair to say that this rational reconstruction, nice as it is, also inherits the limitations of the original design.

## 2 A broader perspective

Meanwhile, epistemic logic has entered a different phase, with a new focus on the epistemic and doxastic effects of information updates such as public announcements (Plaza, 1989; Gerbrandy, 1999). Public announcements are interesting because they create common knowledge, so the new focus on information updating fostered an interest in the evolution of multi-agent knowledge and belief under acts of communication.

Public announcement was generalized to updates with 'action models' that can express a wide range of communications (private announcements, group announcements, secret sharing, lies, and so on) in (Baltag et al., 1998) and (Baltag and Moss, 2004). A further generalization to a complete logic of communication and change, with enriched actions that allow changing the facts of the world, was provided by van Benthem et al. (2006b). The textbook treatment of dynamic epistemic logic in (van Ditmarsch et al., 2007) bears witness to the fact that this approach is by now well established.

The above systems of dynamic epistemic logic do provide an account of knowledge or belief update, but they do not analyse belief revision in the sense of AGM. Information updating in dynamic epistemic logic is monotonic: facts that are announced to an audience of agents cannot be unlearned. Van Benthem (2004) calls this 'belief change under hard information' or 'eliminative belief revision'. See also (van Ditmarsch, 2005) for reflection on the distinction between this and belief change under soft information.

Assume a state of the world where  $p$  actually is the case, and where you know it, but I do not. Then public announcement of  $p$  will have the effect that I get to know it, but also that you know that I know it, that I know that you know that I know it, in short, that  $p$  becomes common knowledge. But if this announcement is followed by an announcement of  $\neg p$ , the effect

0087 will be inconsistent knowledge states for both of us.

0088 It is clear that AGM deals with belief revision of a different kind: ‘be-  
0089 lief change under soft information’ or ‘non-eliminative belief revision’. In  
0090 (van Benthem, 2004) it is sketched how this can be incorporated into dy-  
0091 namic epistemic logic, and in the closely related (Baltag and Smets, 2008b)  
0092 a theory of ‘doxastic actions’ is developed that can be seen as a further step  
0093 in this direction.

0094 Belief revision under soft information can, as Van Benthem observes, be  
0095 modelled as change in the belief accessibilities of a model. This is different  
0096 from public announcement, which can be viewed as elimination of worlds  
0097 while leaving the accessibilities untouched.

0098 Agent  $i$  believes that  $\varphi$  in a given world  $w$  if it is the case that  $\varphi$  is  
0099 true in all worlds  $t$  that are reachable from  $w$  and that are minimal for a  
0100 suitable plausibility ordering relation  $\leq_i$ . In the dynamic logic of belief re-  
0101 vision these accessibilities can get updated in various ways. An example from  
0102 (Rott, 2006) that is discussed by van Benthem (2004) is  $\uparrow A$  for so-called  
0103 ‘lexicographic upgrade’: all  $A$  worlds get promoted past all non- $A$  worlds,  
0104 while within the  $A$  worlds and within the non- $A$  worlds the preference re-  
0105 lation stays as before. Clearly this relation upgrade has as effect that it  
0106 creates belief in  $A$ . And the belief upgrade can be undone: a next update  
0107 with  $\uparrow \neg A$  does not result in inconsistency.

0108 Van Benthem (2004) gives a complete dynamic logic of belief upgrade  
0109 for the belief upgrade operation  $\uparrow A$ , and another one for a variation on  
0110 it,  $\uparrow^* A$ , or ‘elite change’, that updates a plausibility ordering to a new one  
0111 where the best  $A$  worlds get promoted past all other worlds, and for the  
0112 rest the old ordering remains unchanged.

0113 This is taken one step further in a general logic for changing prefer-  
0114 ences, in (van Benthem and Liu, 2004), where upgrade as relation change  
0115 is handled for (reflexive and transitive) preference relations  $\leq_i$ , by means  
0116 of a variation on product update called product upgrade. The idea is to  
0117 keep the domain, the valuation and the epistemic relations the same, but  
0118 to reset the preferences by means of a substitution of new preorders for the  
0119 preference relations.

0120 Treating knowledge as an equivalence and preference as a preorder, with-  
0121 out constraining the way in which they relate, as is done by van Benthem  
0122 and Liu (2004), has the advantage of generality (one does not have to spec-  
0123 ify what ‘having a preference’ means), but it makes it harder to use the  
0124 preference relation for modelling belief change. If one models ‘regret’ as  
0125 preferring a situation that one knows to be false to the current situation,  
0126 then it follows that one can regret things one cannot even conceive. And us-  
0127 ing the same preference relation for belief looks strange, for this would allow  
0128 beliefs that are known to be false. Van Benthem (private communication)

0130 advised me not to lose sleep over such philosophical issues. If we follow that  
 0131 advice, and call ‘belief’ what is true in all most preferred worlds, we can still  
 0132 take comfort from the fact that this view entails that one can never believe  
 0133 one is in a bad situation: the belief-accessible situations are by definition  
 0134 the best conceivable worlds. Anyhow, proceeding from the assumption that  
 0135 knowledge and preference are independent basic relations and then study-  
 0136 ing possible relations between them has turned out very fruitful: the recent  
 0137 theses by Girard (2008) and Liu (2008) are rich sources of insight in what  
 0138 a logical study of the interaction of knowledge and preference may reveal.

0139 Here we will explore two avenues, different from the above but related to  
 0140 it. First, we assume nothing at all about the relation between knowledge on  
 0141 one hand and preference on the other. We show that the dynamic logic of  
 0142 this (including updating with suitable finite update models) is complete and  
 0143 decidable: Theorem 3.1 gives an extension of the reducibility result for LCC,  
 0144 the general logic of communication and change proposed and investigated  
 0145 in (van Benthem et al., 2006b).

0146 Next, we move closer to the AGM perspective, by postulating a close  
 0147 connection between knowledge, belief and preference. One takes prefer-  
 0148 ences as primary, and imposes minimal conditions to allow a definition of  
 0149 knowledge from preferences. The key to this is the simple observation in  
 0150 Theorem 4.1 that a preorder can be turned into an equivalence by taking  
 0151 its symmetric closure if and only if it is weakly connected and conversely  
 0152 weakly connected. This means that by starting from weakly and converse  
 0153 weakly connected preorders one can interpret their symmetric closures as  
 0154 knowledge relations, and use the preferences themselves to define conditional  
 0155 beliefs, in the well known way that was first proposed in (Boutilier, 1994)  
 0156 and (Halpern, 1997). The multi-agent version of this kind of conditional  
 0157 belief was further explored in (van Benthem et al., 2006a) and in (Baltag  
 0158 and Smets, 2006, 2008b). We extend this to a complete logic of regular dox-  
 0159 astic programs for belief revision models (Theorem 4.3), useful for reasoning  
 0160 about common knowledge, common conditional belief and their interaction.  
 0161 Finally, we make a formal proposal for a belief change mechanism by means  
 0162 of a combination of action model update in the style of (Baltag and Smets,  
 0163 2008b) and plausibility substitution in the style of (van Benthem and Liu,  
 0164 2004).

### 0165 3 Preference change in LCC

0167 An epistemic preference model  $\mathbf{M}$  for set of agents  $I$  is a tuple  $(W, V, R, P)$   
 0168 where  $W$  is a non-empty set of worlds,  $V$  is a propositional valuation,  $R$  is  
 0169 a function that maps each agent  $i$  to a relation  $R_i$  (the epistemic relation  
 0170 for  $i$ ), and  $P$  is a function that maps each agent  $i$  to a preference relation  
 0171  $P_i$ . There are no conditions at all on the  $R_i$  and the  $P_i$  (just as there are  
 0172

no constraints on the  $R_i$  relations in LCC (van Benthem et al., 2006b)).

We fix a PDL style language for talking about epistemic preference models (assume  $p$  ranges over a set of basic propositions  $Prop$  and  $i$  over a set of agents  $I$ ):

$$\begin{aligned} \varphi & ::= \top \mid p \mid \neg\varphi \mid \varphi_1 \wedge \varphi_2 \mid [\pi]\varphi \\ \pi & ::= \sim_i \mid \geq_i \mid ?\varphi \mid \pi_1; \pi_2 \mid \pi_1 \cup \pi_2 \mid \pi^* \end{aligned}$$

This is to be interpreted in the usual PDL manner, with  $\llbracket \pi \rrbracket^{\mathbf{M}}$  giving the relation that interprets relational expression  $\pi$  in  $\mathbf{M} = (W, V, R, P)$ , where  $\sim_i$  is interpreted as the relation  $R_i$  and  $\geq_i$  as the relation  $P_i$ , and where the complex modalities are handled by the regular operations on relations. We employ the usual abbreviations:  $\perp$  is shorthand for  $\neg\top$ ,  $\varphi_1 \vee \varphi_2$  is shorthand for  $\neg(\neg\varphi_1 \wedge \neg\varphi_2)$ ,  $\varphi_1 \rightarrow \varphi_2$  is shorthand for  $\neg(\varphi_1 \wedge \neg\varphi_2)$ ,  $\varphi_1 \leftrightarrow \varphi_2$  is shorthand for  $(\varphi_1 \rightarrow \varphi_2) \wedge (\varphi_2 \rightarrow \varphi_1)$ , and  $\langle \pi \rangle \varphi$  is shorthand for  $\neg[\pi]\neg\varphi$ .

The formula  $[\pi]\varphi$  is true in world  $w$  of  $\mathbf{M}$  if for all  $v$  with  $(w, v) \in \llbracket \pi \rrbracket^{\mathbf{M}}$  it holds that  $\varphi$  is true in  $v$ . This is completely axiomatised by the usual PDL rules and axioms (Seegerberg, 1982; Kozen and Parikh, 1981):

Modus ponens	and axioms for propositional logic
Modal generalisation	From $\vdash \varphi$ infer $\vdash [\pi]\varphi$
Normality	$\vdash [\pi](\varphi \rightarrow \psi) \rightarrow ([\pi]\varphi \rightarrow [\pi]\psi)$
Test	$\vdash [?\varphi]\psi \leftrightarrow (\varphi \rightarrow \psi)$
Sequence	$\vdash [\pi_1; \pi_2]\varphi \leftrightarrow [\pi_1][\pi_2]\varphi$
Choice	$\vdash [\pi_1 \cup \pi_2]\varphi \leftrightarrow ([\pi_1]\varphi \wedge [\pi_2]\varphi)$
Mix	$\vdash [\pi^*]\varphi \leftrightarrow (\varphi \wedge [\pi][\pi^*]\varphi)$
Induction	$\vdash (\varphi \wedge [\pi^*](\varphi \rightarrow [\pi]\varphi)) \rightarrow [\pi^*]\varphi$

In (van Benthem et al., 2006b) it is proved that extending the PDL language with an extra modality  $[A, e]\varphi$  does not change the expressive power of the language. Interpretation of the new modality:  $[A, e]\varphi$  is true in  $w$  in  $\mathbf{M}$  if success of the update of  $\mathbf{M}$  with action model  $A$  to  $\mathbf{M} \otimes A$  implies that  $\varphi$  is true in  $(w, e)$  in  $\mathbf{M} \otimes A$ . To see what *that* means one has to grasp the definition of update models  $A$  and the update product operation  $\otimes$ , which we will now give for the epistemic preference case.

An action model (for agent set  $I$ ) is like an epistemic preference model for  $I$ , with the difference that the worlds are now called events, and that the valuation has been replaced by a precondition map **pre** that assigns to each event  $e$  a formula of the language called the precondition of  $e$ . From now on we call the epistemic preference models static models.

Updating a static model  $\mathbf{M} = (W, V, R, P)$  with an action model  $A = (E, \mathbf{pre}, \mathbf{R}, \mathbf{P})$  succeeds if the set

$$\{(w, e) \mid w \in W, e \in E, \mathbf{M}, w \models \mathbf{pre}(e)\}$$

is non-empty. The result of this update is a new static model  $\mathbf{M} \otimes \mathbf{A} = (W', V', R', P')$  with

- $W' = \{(w, e) \mid w \in W, e \in E, \mathbf{M}, w \models \mathbf{pre}(e)\}$ ,
- $V'(w, e) = V(w)$ ,
- $R'_i$  is given by  $\{(w, e), (v, f) \mid (w, v) \in R_i, (e, f) \in \mathbf{R}_i\}$ ,
- $P'_i$  is given by  $\{(w, e), (v, f) \mid (w, v) \in P_i, (e, f) \in \mathbf{P}_i\}$ .

If the static model has a set of distinguished states  $W_0$  and the action model a set of distinguished events  $E_0$ , then the distinguished worlds of  $\mathbf{M} \otimes \mathbf{A}$  are the  $(w, e)$  with  $w \in W_0$  and  $e \in E_0$ .




FIGURE 1. Static model and update.

Figure 1 gives an example pair of a static model with an update action. The distinguished worlds of the model and the distinguished event of the action model are shaded grey. Only the  $R$  relations are drawn, for three agents  $a, b, c$ . The result of the update is shown in Figure 2, on the left. This result can be reduced to the bisimilar model on the right in the same figure, with the bisimulation linking the distinguished worlds. The result of the update is that the distinguished “wine” world has disappeared, without any of  $a, b, c$  being aware of the change.

In LCC, action update is extended with factual change, which is handled by propositional substitution. Here we will consider another extension, with preference change, handled by preference substitution (first proposed by van Benthem and Liu, 2004). A preference substitution is a map from agents to PDL program expressions  $\pi$  represented by a finite set of bindings

$$\{i_1 \mapsto \pi_1, \dots, i_n \mapsto \pi_n\}$$

where the  $i_j$  are agents, all different, and where the  $\pi_i$  are program expressions from our PDL language. It is assumed that each  $i$  that does




FIGURE 2. Update result, before and after reduction under bisimulation.

not occur in the lefthand side of a binding is mapped to  $\geq_i$ . Call the set  $\{i \in I \mid \rho(i) \neq \geq_i\}$  the *domain* of  $\rho$ . If  $\mathbf{M} = (W, V, R, P)$  is a preference model and  $\rho$  is a preference substitution, then  $\mathbf{M}^\rho$  is the result of changing the preference map  $P$  of  $\mathbf{M}$  to  $P^\rho$  given by:

$$\begin{aligned}
 P^\rho(i) &:= P_i \text{ for } i \text{ not in the domain of } \rho, \\
 P^\rho(i) &:= \llbracket \rho(i) \rrbracket^{\mathbf{M}} \text{ for } i = i_j \text{ in the domain of } \rho.
 \end{aligned}$$

Now extend the PDL language with a modality  $[\rho]\varphi$  for preference change, with the following interpretation:

$$\mathbf{M}, w \models [\rho]\varphi \quad :\iff \quad \mathbf{M}^\rho, w \models \varphi.$$

Then we get a complete logic for preference change:

**Theorem 3.1.** The logic of epistemic preference PDL with preference change modalities is complete.

*Proof.* The preference change effects of  $[\rho]$  can be captured by a set of reduction axioms for  $[\rho]$  that commute with all sentential language constructs, and that handle formulas of the form  $[\rho][\pi]\varphi$  by means of reduction axioms of the form

$$[\rho][\pi]\varphi \quad \leftrightarrow \quad [F_\rho(\pi)][\rho]\varphi,$$

with  $F_\rho$  given by:

$$\begin{aligned}
 F_\rho(\sim_i) &:= \sim_i \\
 F_\rho(\geq_i) &:= \begin{cases} \rho(i) & \text{if } i \text{ in the domain of } \rho, \\ \geq_i & \text{otherwise,} \end{cases} \\
 F_\rho(? \varphi) &:= ?[\rho]\varphi, \\
 F_\rho(\pi_1; \pi_2) &:= F_\rho(\pi_1); F_\rho(\pi_2), \\
 F_\rho(\pi_1 \cup \pi_2) &:= F_\rho(\pi_1) \cup F_\rho(\pi_2), \\
 F_\rho(\pi^*) &:= (F_\rho(\pi))^*.
 \end{aligned}$$

It is easily checked that these reduction axioms are sound, and that for each formula of the extended language the axioms yield an equivalent formula in which  $[\rho]$  occurs with lower complexity, which means that the reduction axioms can be used to translate formulas of the extended language to PDL formulas. Completeness then follows from the completeness of PDL. Q.E.D.

#### 4 Yet another logic...

In this section we look at a more constrained case, by replacing the epistemic preference models by ‘belief revision models’ in the style of Grove (1988), Board (2002), and Baltag and Smets (2006, 2008b) (who call them ‘multi-agent plausibility frames’). There is almost complete agreement that preference relations should be transitive and reflexive (preorders). But transitivity plus reflexivity of a binary relation  $R$  do not together imply that  $R \cup R^\smile$  is an equivalence. Figure 3 gives a counterexample. The two extra




FIGURE 3. Preorder with a non-transitive symmetric closure.

conditions of weak connectedness for  $R$  and for  $R^\smile$  remedy this. A binary relation  $R$  is weakly connected (terminology of Goldblatt, 1987) if the following holds:

$$\forall x, y, z((xRy \wedge xRz) \rightarrow (yRz \vee y = z \vee zRy)).$$

**Theorem 4.1.** Assume  $R$  is a preorder. Then  $R \cup R^\smile$  is an equivalence iff both  $R$  and  $R^\smile$  are weakly connected.



*Proof.*  $\Rightarrow$ : immediate.

$\Leftarrow$ : Let  $R$  be a preorder such that both  $R$  and  $R^\sim$  are weakly connected. We have to show that  $R \cup R^\sim$  is an equivalence. Symmetry and reflexivity are immediate. For the check of transitivity, assume  $xR \cup R^\sim y$  and  $yR \cup R^\sim z$ . There are four cases. (i)  $xRyRz$ . Then  $xRz$  by transitivity of  $R$ , hence  $xR \cup R^\sim z$ . (ii)  $xRyR^\sim z$ . Then  $yR^\sim x$  and  $yR^\sim z$ , and by weak connectedness of  $R^\sim$ , either  $(xR^\sim z$  or  $zR^\sim x)$ , hence  $xR \cup R^\sim z$ , or  $x = z$ , hence  $xRz$  by reflexivity of  $R$ . Therefore  $xR \cup R^\sim z$  in all cases. (iii)  $xR^\sim yRz$ . Similar. (iv)  $xR^\sim yR^\sim z$ . Then  $zRyRx$ , and  $zRx$  by transitivity of  $R$ . Therefore  $xR \cup R^\sim z$ . Q.E.D.

Call a preorder that is weakly connected and conversely weakly connected locally connected. The example in Figure 4 shows that locally connected preorders need not be connected. Taking the symmetric closure of




FIGURE 4. Locally connected preorder that is not connected.

this example generates an equivalence with two equivalence classes. More generally, taking the symmetric closure of a locally connected preorder creates an equivalence that can play the role of a knowledge relation defined from the preference order. To interpret the preference order as conditional belief, it is convenient to assume that it is also well-founded: this makes for a smooth definition of the notion of a ‘best possible world’.

A belief revision model  $\mathbf{M}$  (again, for a set of agents  $I$ ) is a tuple  $(W, V, P)$  where  $W$  is a non-empty set of worlds,  $V$  is a propositional valuation and  $P$  is a function that maps each agent  $i$  to a preference relation  $\leq_i$  that is a locally connected well-preorder. That is,  $\leq_i$  is a preorder (reflexive and transitive) that is well-founded (in terms of  $<_i$  for the strict part of  $\leq_i$ , this is the requirement that there is no infinite sequence of  $w_1, w_2, \dots$  with  $\dots <_i w_2 <_i w_1$ ), and such that both  $\leq_i$  and its converse are weakly connected.

In what follows we will use  $<_i$  with the meaning explained above,  $\geq_i$  for the converse of  $\leq_i$ ,  $>_i$  for the converse of  $<_i$ , and  $\sim_i$  for  $\leq_i \cup \geq_i$ .

The locally connected well-preorders  $\leq_i$  can be used to induce accessibility relations  $\rightarrow_i^P$  for each subset  $P$  of the domain, by means of the following standard definition:

$$\rightarrow_i^P := \{(x, y) \mid x \sim_i y \wedge y \in \text{MIN}_{\leq_i} P\},$$

where  $\text{MIN}_{\leq_i} P$ , the set of minimal elements of  $P$  under  $\leq_i$ , is defined as

$$\{s \in P : \forall s' \in P (s' \leq s \Rightarrow s \leq s')\}.$$

This picks out the minimal worlds linked to the current world, according to  $\leq_i$ , within the set of worlds satisfying  $\llbracket \varphi \rrbracket^{\mathbf{M}}$ . The requirement of wellfoundedness ensures that  $\text{MIN}_{\leq} P$  will be non-empty for non-empty  $P$ . Investigating these  $\rightarrow^P$  relations, we see that they have plausible properties for belief:

**Proposition 4.2.** Let  $\leq$  be a locally connected well-preorder on  $S$  and let  $P$  be a non-empty subset of  $S$ . Then  $\rightarrow^P$  is transitive, euclidean and serial.

*Proof.* Transitivity: if  $x \rightarrow^P y$  then  $y \sim x$  and  $y \in \text{MIN}_{\leq} P$ . If  $y \rightarrow^P z$  then  $z \sim y$  and  $z \in \text{MIN}_{\leq} P$ . It follows by local connectedness of  $\leq$  that  $z \sim x$  and by the definition of  $\rightarrow^P$  that  $x \rightarrow^P z$ .

Euclideanness: let  $x \rightarrow^P y$  and  $x \rightarrow^P z$ . We have to show  $y \rightarrow^P z$ . From  $x \rightarrow^P y$ ,  $y \sim x$  and  $y \in \text{MIN}_{\leq} P$ . From  $x \rightarrow^P z$ ,  $z \sim x$  and  $z \in \text{MIN}_{\leq} P$ . From local connectedness,  $y \sim z$ . Hence  $y \rightarrow^P z$ .

Seriality: Let  $x \in P$ . Since  $\leq$  is a preorder there are  $y \in P$  with  $y \leq x$ . The wellfoundedness of  $\leq$  guarantees that there are  $\leq$  minimal such  $y$ . Q.E.D.

Transitivity, euclideanness and seriality are the frame properties corresponding to positively and negatively introspective consistent belief (KD45 belief, Chellas, 1984).

Figure 5 gives an example with both the  $\leq$  relation (shown as solid arrows in the direction of more preferred worlds, i.e., with an arrow from  $x$  to  $y$  for  $x \geq y$ ) and the induced  $\rightarrow$  relation on the whole domain (shown as dotted arrows). The above gives us in fact knowledge relations  $\sim_i$  together with for each knowledge cell a Lewis-style (1973) counterfactual relation: a connected well-preorder, which can be viewed as a set of nested spheres, with the minimal elements as the innermost sphere. Compare also the conditional models of Burgess (1981) and Veltman (1985) (linked to Dynamic Doxastic Logic in Girard, 2007).

Baltag and Smets (2008b,a) present logics of individual multi-agent belief and knowledge for belief revision models, and define belief update for




FIGURE 5. Preference (solid arrows) and belief (dotted arrows).

this as a particular kind of action update in the style of (Baltag et al., 1998), called action priority update. Here we sketch the extension to a system that also handles common knowledge and common conditional belief, and where the action update has belief change incorporated in it by means of relational substitution.

The set-up will be less general than in the logic LCC: in LCC no assumptions are made about the update actions, and so the accessibility relations could easily deteriorate, e.g., as a result of updating with a lie. Since in the present set-up we make assumptions about the accessibilities (to wit, that they are locally connected well-preorders), we have to ensure that our update actions preserve these relational properties.

Consider the following slight modification of the PDL language (again assume  $p$  ranges over a set of basic propositions  $Prop$  and  $i$  over a set of agents  $I$ ):

$$\begin{aligned} \varphi & ::= \top \mid p \mid \neg\varphi \mid \varphi_1 \wedge \varphi_2 \mid [\pi]\varphi \\ \pi & ::= \sim_i \mid \leq_i \mid \geq_i \mid \rightarrow_i^\varphi \mid \leftarrow_i^\varphi \mid G \mid ?\varphi \mid \pi_1; \pi_2 \mid \pi_1 \cup \pi_2 \mid \pi^* \end{aligned}$$

Call this language  $\mathcal{L}_{\text{Pref}}$ . This time, we treat  $\sim_i$  as a derived notion, by putting in an axiom that defines  $\sim_i$  as  $\leq_i \cup \geq_i$ . The intention is to let  $\sim_i$  be interpreted as the knowledge relation for agent  $i$ ,  $\leq_i$  as the preference relation for  $i$ ,  $\geq_i$  as the converse preference relation for  $i$ ,  $\rightarrow_i^\varphi$  as the conditional belief relation defined from  $\leq_i$  as explained above,  $\leftarrow_i^\varphi$  as its converse, and  $G$  as global accessibility. We use  $\rightarrow_i$  as shorthand for  $\rightarrow_i^\top$ .

We have added a global modality  $G$ , and we will set up things in such way that  $[G]\varphi$  expresses that everywhere in the model  $\varphi$  holds, and that  $\langle G \rangle\varphi$  expresses that  $\varphi$  holds somewhere. It is well-known that adding a global modality and converses to PDL does not change its properties: the logic re-


mains decidable, and satisfiability remains EXPTIME-complete (Blackburn et al., 2001).

The semantics of  $\mathcal{L}_{\text{Pref}}$  is given relative to belief revision models as indicated above. Formula meaning  $\llbracket \varphi \rrbracket^{\mathbf{M}}$  and relational meaning  $\llbracket \pi \rrbracket^{\mathbf{M}}$  are handled in the usual way. The interpretation of the knowledge relation of agent  $i$  is given by  $\llbracket [\sim_i] \rrbracket^{\mathbf{M}} := \leq_i^{\mathbf{M}} \cup \geq_i^{\mathbf{M}}$ , that for the preference relation of agent  $i$  by  $\llbracket [\leq_i] \rrbracket^{\mathbf{M}} := \leq_i^{\mathbf{M}}$ , that for the converse preference relation of agent  $i$  by its converse, that for the conditional belief of agent  $i$  by  $\llbracket [\rightarrow_i^\varphi] \rrbracket^{\mathbf{M}} := \rightarrow_i^{\varphi, \mathbf{M}}$ , that for  $\leftarrow_i^\varphi$  by its converse. The global modality is interpreted as the universal relation, and test, sequential composition, choice and Kleene star are interpreted as usual.

The interplay between the modalities  $[\sim_i]$  (knowledge) and  $[\geq_i]$  (safe belief) is analysed by Baltag and Smets (2008b), where they remark that the converse preference modality  $[\geq_i]$  in belief revision models behaves like an S4.3 modality (reflexive, transitive and not forward branching), and lives happily together with the S5 modality for  $[\sim_i]$ .

To see how this all works out, let us have a look at the truth conditions for  $[\rightarrow_i^\varphi]\psi$ . This is true in a world  $w$  in model  $\mathbf{M}$  if in all worlds  $v$  with  $v \sim_i w$  and  $v$  minimal in  $\llbracket [\varphi] \rrbracket^{\mathbf{M}}$  under  $\leq_i$  it holds that  $\psi$  is true. This is indeed conditional belief, relative to  $\varphi$ . Compare this with  $[\geq_i]\psi$ . This is true in a world  $w$  if in all worlds that are at least as preferred,  $\psi$  is true. Finally,  $[\sim_i]\psi$  is true in  $w$  if  $\psi$  is true in all worlds, preferred or not, that  $i$  can access from  $w$ .

As a further example, consider a situation where Alexandru is drinking wine, while Jan does not know whether he is drinking wine or beer, and Sonja thinks that he is drinking tea. The actual situation is shaded grey, Jan's preference relation has solid lines, that of Sonja dotted lines. Reflexive arrows are not drawn, so Alexandru's preferences are not visible in the picture.



In the actual world it is true that Jan knows that Alexandru knows what Alexandru is drinking:  $[\sim_j]([\sim_a]w \vee [\sim_a]b)$ , and that Sonja believes Alexandru is drinking tea and that Alexandru knows it:  $[s][\sim_a]t$ . Under condition  $\neg t$ , however, Sonja has the belief in the actual world that Alexandru is drinking beer:  $[\rightarrow_s^{\neg t}]b$ . Moreover, Jan and Sonja have a common belief under condition  $\neg t$  that Alexandru is drinking wine or beer:  $[\rightarrow_j^{\neg t} \cup \rightarrow_s^{\neg t}; (\rightarrow_j^{\neg t} \cup \rightarrow_s^{\neg t})^*](w \vee b)$ . As a final illustration, note that  $[\leftarrow_s]\perp$  is true

0517 in a world if this is *not* among Sonja’s most preferred worlds. Notice that  
 0518 if Sonja conditionalizes her belief to these worlds, she would believe that  
 0519 Alexandru is drinking beer:  $[\rightarrow_s^{[s^*]^\perp}]b$  is true in the actual world.

0520 It should be clear from the example that this language is very expressive.  
 0521 To get at a complete logic for it, we need axioms and rules for propositional  
 0522 logic, S5 axioms for the global modality (Goranko and Passy, 1992), axioms  
 0523 for forward connectedness of  $\geq$  and of  $\leq$  (see Goldblatt, 1987), axioms for  
 0524 converse, relating  $\leq$  to  $\geq$  and  $\rightarrow$  to  $\leftarrow$ , as in temporal logic (Prior, 1967),  
 0525 and the general axioms and rules for PDL (Seegerberg, 1982). Finally, add  
 0526 the following definition of conditional belief in terms of knowledge and safe  
 0527 belief that can already be found in (Boutilier, 1994) as an axiom:

$$0528 \quad [\rightarrow_i^\varphi]\psi \quad :\equiv \quad \langle \sim_i \rangle \varphi \rightarrow \langle \sim_i \rangle (\varphi \wedge [\geq_i](\varphi \rightarrow \psi)).$$

0530 This definition (also used in Baltag and Smets, 2008b) states that condi-  
 0531 tional to  $\varphi$ ,  $i$  believes in  $\psi$  if either there are no accessible  $\varphi$  worlds, or  
 0532 there is an accessible  $\varphi$  world in which the belief in  $\varphi \rightarrow \psi$  is safe. The full  
 0533 calculus for  $\mathcal{L}_{\text{Pref}}$  is given in Figure 6.  
 0534

0535 **Theorem 4.3.** The axiom system for  $\mathcal{L}_{\text{Pref}}$  is complete for belief revision  
 0536 models;  $\mathcal{L}_{\text{Pref}}$  has the finite model property and is decidable.  
 0537

0538 *Proof.* Modify the canonical model construction for modal logic for the case  
 0539 of PDL, by means of Fischer-Ladner closures (Fischer and Ladner, 1979)  
 0540 (also see Blackburn et al., 2001). This gives a finite canonical model with  
 0541 the properties for  $\leq_i$  and  $\geq_i$  corresponding to the axioms (since the axioms  
 0542 for  $\leq_i$  and  $\geq_i$  are canonical). In particular, each  $\geq_i$  relation will be reflexive,  
 0543 transitive and weakly connected, each relation  $\leq_i$  will be weakly connected,  
 0544 and the  $\leq_i$  and  $\geq_i$  relations will be converses of each other. Together this  
 0545 gives (Theorem 4.1) that the  $\leq_i \cup \geq_i$  are equivalences. Since the canonical  
 0546 model has a finite set of nodes, each  $\leq_i$  relation is also well-founded. Thus,  
 0547 the canonical model is in fact a belief revision model. Also, the  $\rightarrow_i$  and  
 0548  $\leftarrow_i$  relations are converses of each other, and related to the  $\geq_i$  relations  
 0549 in the correct way. The canonical model construction gives us for each  
 0550 consistent formula  $\varphi$  a belief revision model satisfying  $\varphi$  with a finite set  
 0551 of nodes. Only finitely many of the relations in that model are relevant  
 0552 to the satisfiability of  $\varphi$ , so this gives a finite model (see Blackburn et al.,  
 0553 2001, for further details). Since the logic has the finite model property it is  
 0554 decidable. Q.E.D.

0555 Since the axiomatisation is complete, the S5 properties of  $\sim_i$  are deriv-  
 0556 able, as well as the principle that knowledge implies safe belief:  
 0557

$$0558 \quad [\sim_i]\varphi \rightarrow [\geq_i]\varphi.$$

0559

0560		
0561		
0562		
0563		
0564		
0565		
0566	Modus ponens	and axioms for propositional logic
0567	Modal generalisation	From $\vdash \varphi$ infer $\vdash [\pi]\varphi$
0568		
0569	Normality	$\vdash [\pi](\varphi \rightarrow \psi) \rightarrow ([\pi]\varphi \rightarrow [\pi]\psi)$
0570	Inclusion of everything in G	$\vdash [G]\varphi \rightarrow [\pi]\varphi$
0571	Reflexivity of G	$\vdash [G]\varphi \rightarrow \varphi$
0572	Transitivity of G	$\vdash [G]\varphi \rightarrow [G][G]\varphi$
0573	Symmetry of G	$\vdash \varphi \rightarrow [G]\langle G \rangle \varphi$
0574	Knowledge definition	$\vdash [\sim_i]\varphi \leftrightarrow [\leq_i \cup \geq_i]\varphi$
0575	Truthfulness of safe belief	$\vdash [\geq_i]\varphi \rightarrow \varphi$
0576	Transitivity of safe belief	$\vdash [\geq_i]\varphi \rightarrow [\geq_i][\geq_i]\varphi$
0577	$\geq$ included in $\leq^\sim$	$\vdash \varphi \rightarrow [\geq_i]\langle \leq_i \rangle \varphi$
0578	$\leq$ included in $\geq^\sim$	$\vdash \varphi \rightarrow [\leq_i]\langle \geq_i \rangle \varphi$
0579	Weak connectedness of $\leq$	$\vdash [\leq_i](\langle \varphi \wedge [\leq_i]\varphi \rangle \rightarrow \psi) \vee [\leq_i](\langle \psi \wedge [\leq_i]\psi \rangle \rightarrow \varphi)$
0580	Weak connectedness of $\geq$	$\vdash [\geq_i](\langle \varphi \wedge [\geq_i]\varphi \rangle \rightarrow \psi) \vee [\geq_i](\langle \psi \wedge [\geq_i]\psi \rangle \rightarrow \varphi)$
0581	Conditional belief definition	$\vdash [\rightarrow_i^\varphi]\psi \leftrightarrow (\langle \sim_i \rangle \varphi \rightarrow \langle \sim_i \rangle (\varphi \wedge [\geq_i](\varphi \rightarrow \psi)))$
0582	$\rightarrow$ included in $\leftarrow^\sim$	$\vdash \varphi \rightarrow [\rightarrow_i^\psi]\langle \leftarrow_i^\psi \rangle \varphi$
0583	$\leftarrow$ included in $\rightarrow^\sim$	$\vdash \varphi \rightarrow [\leftarrow_i^\psi]\langle \rightarrow_i^\psi \rangle \varphi$
0584	Test	$\vdash [?\varphi]\psi \leftrightarrow (\varphi \rightarrow \psi)$
0585	Sequence	$\vdash [\pi_1; \pi_2]\varphi \leftrightarrow [\pi_1][\pi_2]\varphi$
0586	Choice	$\vdash [\pi_1 \cup \pi_2]\varphi \leftrightarrow ([\pi_1]\varphi \wedge [\pi_2]\varphi)$
0587	Mix	$\vdash [\pi^*]\varphi \leftrightarrow (\varphi \wedge [\pi][\pi^*]\varphi)$
0588	Induction	$\vdash (\varphi \wedge [\pi^*](\varphi \rightarrow [\pi]\varphi)) \rightarrow [\pi^*]\varphi$
0589		
0590		
0591		
0592		
0593		
0594		
0595		
0596		
0597		
0598		
0599		
0600		
0601		
0602		

FIGURE 6. Axiom system for  $\mathcal{L}_{\text{Pref}}$ .

The same holds for the following principles for conditional belief given in (Board, 2002):

Safe belief implies belief	$\vdash [\geq_i]\varphi \rightarrow [\rightarrow_i^\psi]\varphi$
Positive introspection	$\vdash [\rightarrow_i^\psi]\varphi \rightarrow [\sim_i][\rightarrow_i^\psi]\varphi$
Negative introspection	$\vdash \neg[\rightarrow_i^\psi]\varphi \rightarrow [\sim_i]\neg[\rightarrow_i^\psi]\varphi$
Successful revision	$\vdash [\rightarrow_i^\varphi]\varphi$
Minimality of revision	$\vdash \langle \rightarrow_i^\varphi \rangle \psi \rightarrow ([i^\varphi \wedge \psi]\chi \leftrightarrow [\rightarrow_i^\varphi](\psi \rightarrow \chi))$

We end with an open question: is  $\rightarrow_i^\varphi$  definable from  $\geq_i$  and  $\leq_i$  using only test, sequence, choice and Kleene star?

## 5 Combining update and upgrade

The way we composed knowledge and belief by means of regular operations may have a dynamic flavour, but appearance is deceptive. The resulting doxastic and epistemic ‘programs’ still describe what goes on in a static model. Real communicative action is changing old belief revision models into new ones. These actions should represent new hard information that cannot be undone, but also soft information like belief changes that can be reversed again later on. For this we can use update action by means of action models, with soft information update handled by means of action priority update (Baltag and Smets, 2008b,a), or preference substitution as in (van Benthem and Liu, 2004). Here we will propose a combination of these two.


Action models for belief revision are like belief revision models, but with the valuation replaced by a precondition map. We add two extra ingredients. First, we add to each event a propositional substitution, to be used, as in LCC, for making factual changes to static models. Propositional substitutions are maps represented as sets of bindings

$$\{p_1 \mapsto \varphi_1, \dots, p_n \mapsto \varphi_n\}$$

where all the  $p_i$  are different. It is assumed that each  $p$  that does not occur in the lefthand side of a binding is mapped to  $p$ . The domain of a propositional substitution  $\sigma$  is the set  $\{p \in Prop \mid \sigma(p) \neq p\}$ . If  $\mathbf{M} = (W, V, P)$  is a belief revision model and  $\sigma$  is an  $\mathcal{L}_{\text{Pref}}$  propositional substitution, then  $V_{\mathbf{M}}^\sigma$  is the valuation given by  $\lambda w \lambda p \cdot w \in \llbracket p^\sigma \rrbracket^{\mathbf{M}}$ . In other words,  $V_{\mathbf{M}}^\sigma$  assigns to  $w$  the set of basic propositions  $p$  such that  $p^\sigma$  is true in world  $w$  in model  $\mathbf{M}$ .  $\mathbf{M}^\sigma$  is the model with its valuation changed by  $\sigma$  as indicated. Next, we add relational substitutions, as defined in Section 3, one to each event. Thus, an action model for belief revision is a tuple  $A = (E, \mathbf{pre}, \mathbf{P}, \mathbf{psub}, \mathbf{rsub})$  with  $E$  a non-empty finite set of events,  $\mathbf{psub}$  and  $\mathbf{rsub}$  maps from  $E$  to propositional substitutions and relational substitutions, respectively, and with  $\mathbf{rsub}$  subject to the following constraint:

0646 If  $e \sim_i f$  in the action model, then  $\mathbf{rsub}(e)$  and  $\mathbf{rsub}(f)$  have the  
 0647 same binding for  $i$ .

0648 This ensures a coherent definition of the effect of relational substitution on  
 0649 a belief structure. The example in Figure 7 illustrates this. But note that  
 0650 the substitutions are subject to further constraints. In the action model in  
 0651



0663 FIGURE 7. Unconstrained relational substitution creates havoc.  
 0664

0665 the example, a single agent has a preference for  $\neg p$  over  $p$ . In the update  
 0666 model, a substitution reverses the agent's preferences, but the agent cannot  
 0667 distinguish this from an action where nothing happens. What should the  
 0668 result of the update look like? E.g., is there a preference arrow from (2, 3)  
 0669 to (1, 4)? This is impossible to answer, as action 3 asks us to reverse the  
 0670 preference and action 4 demands that we keep the initial preference. The  
 0671 constraint on substitutions rules out such dilemmas.

0672 The relational substitution  $\rho = \mathbf{rsub}(e)$  at event  $e$  in action model  $A$  is  
 0673 meant to be interpreted 'locally' at each world  $w$  in input model  $\mathbf{M}$ . If  
 0674  $P$  is the preference map of  $\mathbf{M}$ , then let  $P_w^\rho$  be given by:

$$\begin{aligned}
 0675 P_w^\rho(i) &:= P_i \cap |w|_{\llbracket \sim_i \rrbracket^2 \mathbf{M}}^2 \text{ for } i \text{ not in the domain of } \rho, \\
 0676 P_w^\rho(i) &:= \llbracket \rho(i) \rrbracket^{\mathbf{M}} \cap |w|_{\llbracket \sim_i \rrbracket^2 \mathbf{M}}^2 \\
 0677 &\text{for } i = i_j \text{ in the domain of } \rho. \\
 0678
 \end{aligned}$$

0679 Thus,  $P_w^\rho$  is the result of making a change only to the local knowledge cell  
 0680 at world  $w$  of agent  $i$  (which is given by the equivalence class  $|w|_{\llbracket \sim_i \rrbracket^2 \mathbf{M}}$ ).  
 0681 Let  
 0682

$$0683 P^\rho(i) := \bigcup_{w \in W} P_w^\rho(i)$$

0684 Then  $P^\rho(i)$  gives the result of the substitution  $\rho$  on  $P(i)$ , for each knowledge  
 0685 cell  $|w|_{\llbracket \sim_i \rrbracket^2 \mathbf{M}}$  for  $i$ , and  $P^\rho$  gives the result of the substitution  $\rho$  on  $P$ , for  
 0686 each agent  $i$ .  
 0687  
 0688



Now the result of updating belief revision model  $\mathbf{M} = (W, V, P)$  with action model  $\mathbf{A} = (E, \mathbf{pre}, \mathbf{P}, \mathbf{psub}, \mathbf{rsub})$  is given by  $\mathbf{M} \otimes \mathbf{A} = (W', V', P')$ , where

- $W' = \{(w, e) \mid w \in W, e \in E, \mathbf{M}, w \models \mathbf{pre}(e)\}$ ,
- $V'(w, e) = V^\sigma(w)$ ,
- $P'(i)$  is given by the anti-lexicographical order defined from  $P^i(i)$  and  $\mathbf{P}(i)$  (see Baltag and Smets, 2008b,a).

With these definitions in place, what are reasonable substitutions? A possible general form for a preference change could be a binding like this:

$$\geq_i \mapsto [\varphi_1, \varphi_2, \dots, \varphi_n].$$

This is to be interpreted as an instruction to replace the belief preferences of  $i$  in the local knowledge cells by the new preference relation that prefers the  $\varphi_1$  states above everything else, the  $\neg\varphi_1 \wedge \varphi_2$  above the  $\neg\varphi_1 \wedge \neg\varphi_2$  states, and so on, and the  $\neg\varphi_1 \wedge \neg\varphi_2 \wedge \dots \wedge \neg\varphi_{n-1} \wedge \varphi_n$  states above the  $\neg\varphi_1 \wedge \neg\varphi_2 \wedge \dots \wedge \neg\varphi_n$  states. Such relations are indeed connected well-preorders.




Note that we can take  $[\varphi_1, \varphi_2, \dots, \varphi_n]$  as an abbreviation for the following doxastic program:

$$\begin{aligned} (\sim_i; ?\varphi_1) &\cup (? \neg\varphi_1; \sim_i; ? \neg\varphi_1; ?\varphi_2) \\ &\cup (? \neg\varphi_1; ? \neg\varphi_2; \sim_i; ? \neg\varphi_1; ? \neg\varphi_2; ?\varphi_3) \\ &\cup \dots \\ &\cup (? \neg\varphi_1; \dots; ? \neg\varphi_n; \sim_i; ? \neg\varphi_1; \dots; ? \neg\varphi_{n-1}; ?\varphi_n) \end{aligned}$$


In general we have to be careful (as is also observed in (van Benthem and Liu, 2004)). If we have a connected well-preorder then adding arrows to it in the same knowledge cell may spoil its properties. Also, the union of two connected well-preorders need not be connected. So here is a question: what is the maximal sublanguage of doxastic programs that still guarantees that the defined relations are suitable preference relations? Or should belief revision models be further constrained to guarantee felicitous preference change? And if so: how?

## 6 Examples

**Global amnesia:** the event of agent  $a$  (Jason Bourne) forgetting all his beliefs, with everyone (including himself) being aware of this, is represented by the following action model (for the case of three agents  $a, b, c$ ):



**Alzheimer:** the event of agent  $a$  forgetting everything, with the others being aware of this, while  $a$  wrongly believes that nothing has happened. It is tempting to model this with the following update model:



Note however that this does not satisfy the constraint on relation update (the two actions are connected, but the substitution for  $a$  is not the same), so it may result in incoherent models.

**Lacular amnesia (specific forgetting):** forgetting everything about  $p$ . One way to model this is by means of an action model with a single action, accessible to all, with the relational substitution

$$\geq_i \mapsto (\geq_i \cup \sim_i; ?\neg p)^*$$

This will effectively add best-world arrows from everywhere in the knowledge cell to all  $\neg p$  worlds.

**Confession of faith in  $p$ , or publicly accepting  $p$ :** an action model with a single action, accessible to all, with the relational substitution

$$\geq_i \mapsto (\geq_i \cup (? \neg p; \sim_i; ?p))^*.$$

This will make the  $p$  worlds better than the  $\neg p$  worlds everywhere.

**Submission to a guru:** the act of adopting the belief of someone else, visible to all. A problem here is that the guru may know more than I do, so that the guru's preferences within my knowledge cell may not be connected. This means that the substitution  $\leq_i \mapsto \leq_j$ —the binding that expresses that  $i$  takes over  $j$ 's beliefs—may involve growth or loss of knowledge for  $i$ . Consider the example of the wine-drinking Alexandru again: if Jan were to take over Sonja's beliefs, he would lose the information that Alexandru is drinking an alcoholic beverage.

**Conformism:** adopting the common beliefs of a certain group, visible to all: an action model with a single action accessible to all, with the following substitution for conformist agent  $i$ :

$$\geq_i \mapsto (\geq_i \cup \geq_j); (\geq_i \cup \geq_j)^*.$$

**Belief coarsening:** the most preferred worlds remain the most preferred, the next preferred remain the next preferred, and all further distinctions are erased. An action model with a single action accessible to all, and the following substitution for agent  $i$ :

$$\geq_i \mapsto \rightarrow_i \cup ?\top.$$

The union with the relation  $?\top$  has the effect of adding all reflexive arrows, to ensure that the result is reflexive again.

Van Benthem's  $\uparrow\varphi$  is handled by a substitution consisting of bindings like this:

$$\geq_i \mapsto (? \varphi; \sim_i ? \neg \varphi) \cup (? \varphi; \geq_i ? \varphi) \cup (? \neg \varphi; \geq_i ? \neg \varphi).$$

This is an alternative for an update with an action model that has  $\neg \varphi <_B \varphi$ . The example shows that conservative upgrade is handled equally well by action priority updating and by belief change via substitution. But belief change by substitution seems more appropriate for 'elite change'. For this we need a test for being in the best  $\varphi$  world that  $i$  can conceive, by means of the Panglossian formula  $\langle \leftarrow_i^{\varphi} \rangle \top$ . The negation of this allows us to define elite change like this:


$$\geq_i \mapsto \rightarrow_i^{\varphi} \cup (\geq_i; ?[\leftarrow_i^{\varphi}] \perp).$$

This promotes the best  $\varphi$  worlds past all other worlds, while leaving the rest of the ordering unchanged. Admittedly, such an operation could also be performed using action priority updating, but it would be much more cumbersome.

## 7 Further connections

To connect up to the work of Bonanno again, what about time? Note that perceiving the ticking of a clock can be viewed as information update. A clock tick constitutes a change in the world, and agents can be aware or unaware of the change. This can be modelled within the framework introduced above. Let  $t_1, \dots, t_n$  be the clock bits for counting ticks in binary, and let  $C := C + 1$  be shorthand for the propositional substitution that is needed to increment the binary number  $t_1, \dots, t_n$  by 1. Then public awareness of the clock tick is modelled by:

0818  
0819  
0820  
0821  
0822  
0823  
0824  
0825  
0826  
0827  
0828  
0829  
0830  
0831  
0832  
0833  
0834  
0835  
0836  
0837  
0838  
0839  
0840  
0841  
0842  
0843  
0844  
0845  
0846  
0847  
0848  
0849  
0850  
0851  
0852  
0853  
0854  
0855  
0856  
0857  
0858  
0859  
0860



Thus, perception of the ticking of a clock can be modelled as ‘being in tune with change in the world’. Still, this is not quite the same as the ‘next instance’ operator  $\bigcirc$ , for the DEL framework is specific about what happens during the clock tick, while  $\bigcirc$  existentially quantifies over the change that takes place, rather in the spirit of (Balbiani et al., 2007).

In belief revision there is the AGM tradition, and its rational reconstruction in dynamic doxastic logic à la Segerberg. Now there also is a modal version in Bonanno style using temporal logic. It is shown in (van Benthem and Pacuit, 2006) that temporal logic has greater expressive power than DEL, which could be put to use in a temporal logic of belief revision (although Bonanno’s present version does not seem to harness this power). As an independent development there is dynamic epistemic logic in the Amsterdam/Oxford tradition, which was inspired by the logic of public announcement, and by the epistemic turn in game theory, à la Aumann. Next to this, and not quite integrated with it, there is an abundance of dynamic logics for belief change based on preference relations (Spohn, Shoham, Lewis), and again the Amsterdam and Oxford traditions. I hope this contribution has made clear that an elegant fusion of dynamic epistemic logic and dynamic logics for belief change is possible, and that this fusion allows to analyze AGM style belief revision in a multi-agent setting, and integrated within a powerful logic of communication and change.

### Acknowledgements

Thanks to Alexandru Baltag, Johan van Benthem and Floor Sietsma for helpful comments on several earlier versions of the paper, and for constructive discussions. Hans van Ditmarsch sent me his last minute remarks. I am grateful to the editors of this volume for their display of the right mix of patience, tact, flexibility and firmness (with Robert van Rooij exhibiting the first three of these qualities and Krzysztof Apt the fourth). The support of the NWO Cognition Programme to the ‘Games, Action and Social Software’ Advanced Studies project is gratefully acknowledged.

### References

- Alchourrón, C.E., Gärdenfors, P., & Makinson, D. (1985). On the Logic of Theory Change: Partial Meet Contraction and Revision Functions. *The Journal of Symbolic Logic*, 50(2):510–530.
- Balbiani, P., Baltag, A., van Ditmarsch, H., Herzig, A., Hoshi, T., & Santos De Lima, T. (2007). What can we achieve by arbitrary announcements?

- 0861 a dynamic take on Fitch's knowability. In Samet, D., ed., *Proceedings of*  
0862 *the 11th Conference on Theoretical Aspects of Rationality and Knowledge*  
0863 *(TARK-2007)*, Brussels, Belgium, June 25–27, 2007.
- 0864 Baltag, A. & Moss, L.S. (2004). Logics for Epistemic Programs. *Synthese*,  
0865 139(2):165–224.
- 0867 Baltag, A., Moss, L.S., & Solecki, S. (1998). The Logic of Common Knowl-  
0868 edge, Public Announcements, and Private Suspicions. In Gilboa, I., ed.,  
0869 *Proceedings of the 7th Conference on Theoretical Aspects of Rationality and*  
0870 *Knowledge, (TARK'98)*, pp. 43–56.
- 0871  
0872 Baltag, A. & Smets, S. (2006). Conditional Doxastic Models: A Qualita-  
0873 tive Approach to Dynamic Belief Revision. *Electronic Notes in Theoretical*  
0874 *Computer Science*, 165:5–21.
- 0875  
0876 Baltag, A. & Smets, S. (2008a). The logic of conditional doxastic actions.  
0877 This volume.
- 0878  
0879 Baltag, A. & Smets, S. (2008b). A qualitative theory of dynamic interactive  
0880 belief revision. In Bonanno, G., van der Hoek, W., & Wooldridge, M., eds.,  
0881 *Logic and the Foundations of Game and Decision Theory (LOFT 7)*, vol. 3  
0882 of *Texts in Logic and Games*, pp. 11–58. Amsterdam University Press.
- 0883  
0884 van Benthem, J. (2004). Dynamic Logic for Belief Revision. *Journal of*  
*Applied Non-Classical Logics*, 14(2):129–155.
- 0885  
0886 van Benthem, J. & Liu, F. (2004). Dynamic Logic of Preference Upgrade.  
0887 *Journal of Applied Non-Classical Logics*, 14:157–182.
- 0888  
0889 van Benthem, J., van Otterloo, S., & Roy, O. (2006a). Preference logic,  
0890 conditionals, and solution concepts in games. In Lagerlund, H., Lindström,  
0891 S., & Sliwinski, R., eds., *Modality Matters: Twenty-Five Essays in Honour*  
0892 *of Krister Segerberg*, vol. 53 of *Uppsala Philosophical Studies*, pp. 61–76,  
0893 Uppsala.
- 0894  
0895 van Benthem, J. & Pacuit, E. (2006). The tree of knowledge in action: To-  
0896 wards a common perspective. In Governatori, G., Hodkinson, I., & Venema,  
0897 Y., eds., *Advances in Modal Logic, Vol. 6*, pp. 87–106. College Publications.
- 0898  
0899 van Benthem, J., van Eijck, J., & Kooi, B. (2006b). Logics of Communica-  
0900 tion and Change. *Information and Computation*, 204(99):1620–1666.
- 0901  
0902 Blackburn, P., de Rijke, M., & Venema, Y. (2001). *Modal Logic*, vol. 53 of  
0903 *Cambridge Tracts in Theoretical Computer Science*. Cambridge University  
Press.

- 0904 Board, O. (2002). Dynamic Interactive Epistemology. *Games and Economic*  
 0905 *Behaviour*, 49(1):49–80.
- 0906 Bonanno, G. (2008). Belief revision in a temporal framework. This volume.  
 0907
- 0908 Boutilier, C. (1994). Toward a logic of qualitative decision theory. In Doyle,  
 0909 J., Sandewall, E., & Torasso, P., eds., *Proceedings of the 4th International*  
 0910 *Conference on Principle of Knowledge Representation and Reasoning (KR-*  
 0911 *94)*, pp. 75–86. Morgan Kaufmann.
- 0912
- 0913 Burgess, J.P. (1981). Quick completeness proofs for some logics of condi-  
 0914 tionals. *Notre Dame Journal of Formal Logic*, 22(1):76–84.
- 0915
- 0916 Chellas, B. (1984). *Modal Logic: an Introduction*. Cambridge University  
 0917 Press.
- 0918
- 0919 van Ditmarsch, H. (2005). Belief change and dynamic logic. In Delgrande,  
 0920 J., Lang, J., Rott, H., & Tallon, J.-M., eds., *Belief Change in Ratio-*  
 0921 *nal Agents: Perspectives from Artificial Intelligence, Philosophy, and Eco-*  
 0922 *nomics*, number 05321 in Dagstuhl Seminar Proceedings, Dagstuhl. IBFI,  
 0923 Schloss Dagstuhl.
- 0924
- 0925 van Ditmarsch, H., van der Hoek, W., & Kooi, B. (2007). *Dynamic Epis-*  
 0926 *temic Logic*, vol. 337 of *Synthese Library*. Springer.
- 0927
- 0928 Fischer, M.J. & Ladner, R.E. (1979). Propositional dynamic logic of regular  
 programs. *Journal of Computer and System Sciences*, 18(2):194–211.
- 0929
- 0930 Gärdenfors, P. (1988). *Knowledge in Flux: Modeling the Dynamics of Epis-*  
 0931 *temic States*. MIT Press, Cambridge MA.
- 0932
- 0933 Gärdenfors, P. & Rott, H. (1995). Belief revision. In Gabbay, D.M., Hogger,  
 0934 C.J., & Robinson, J.A., eds., *Handbook of Logic in Artificial Intelligence and*  
 0935 *Logic Programming, Vol. 4*. Oxford University Press, Oxford.
- 0936
- 0937 Gerbrandy, J. (1999). Dynamic Epistemic Logic. In Moss, L.S., Ginzburg,  
 0938 J., & de Rijke, M., eds., *Logic, Language and Computation, Vol. 2*. CSLI  
 Publications, Stanford University.
- 0939
- 0940 Girard, P. (2007). From onions to broccoli: Generalizing Lewis’s counterfac-  
 0941 tual logic. *Journal of Applied Non-Classical Logics*, 17(3):213–229. Special  
 0942 Issue on Belief Revision and Dynamic Logic.
- 0943
- 0944 Girard, P. (2008). *Modal Logic for Preference and Belief Change*. PhD the-  
 0945 sis, Universiteit van Amsterdam and Stanford University. *ILLC Publication*  
 0946 DS-2008-04.

0947 Goldblatt, R. (1992 (first edition 1987)). *Logics of Time and Computation,*  
0948 *Second Edition, Revised and Expanded*, vol. 7 of *CSLI Lecture Notes*. CSLI,  
0949 Stanford. Distributed by University of Chicago Press.

0950 Goranko, V. & Passy, S. (1992). Using the Universal Modality: Gains and  
0951 Questions. *Journal of Logic and Computation*, 2(1):5–30.

0953 Grove, A. (1988). Two Modellings for Theory Change. *Journal of Philo-*  
0954 *sophical Logic*, 17(2):157–170.

0956 Halpern, J.Y. (1997). Defining relative likelihood in partially-ordered pref-  
0957 erential structures. *Journal of Artificial Intelligence Research*, 7:1–24.

0958 Kozen, D. & Parikh, R. (1981). An elementary proof of the completeness  
0959 of PDL. *Theoretical Computer Science*, 14(1):113–118.

0961 Lewis, D. (1973). *Counterfactuals*. Blackwell Publishing, Oxford.

0963 Liu, F. (2008). *Changing for the Better: Preference Dynamics and Agent*  
0964 *Diversity*. PhD thesis, University of Amsterdam. *ILLC Publications DS-*  
0965 *2008-02*.

0966 Plaza, J.A. (1989). Logics of public communications. In Emrich, M.L.,  
0967 Pfeifer, M.S., Hadzikadic, M., & Ras, Z.W., eds., *Proceedings of the 4th*  
0968 *International Symposium on Methodologies for Intelligent Systems*, pp. 201–  
0969 216.

0971 Prior, A. (1967). *Past, Present and Future*. Clarendon Press, Oxford.

0973 Rott, H. (2006). Shifting Priorities: Simple Representations for Twenty-  
0974 seven Iterated Theory Change Operators. In Lagerlund, H., Lindström, S.,  
0975 & Sliwinski, R., eds., *Modality Matters: Twenty-Five Essays in Honour of*  
0976 *Krister Segerberg*, Uppsala Philosophical Studies Volume 53, pp. 359–384.  
0977 Uppsala Universitet.

0978 Segerberg, K. (1982). A completeness theorem in the modal logic of pro-  
0979 grams. In Traczyk, T., ed., *Universal Algebra and Applications*, pp. 36–46.  
0980 Polish Science Publications.

0982 Segerberg, K. (1995). Belief Revision from the Point of View of Doxastic  
0983 Logic. *Bulletin of the IGPL*, 3(4):535–553.

0985 Segerberg, K. (1999). Two Traditions in the Logic of Belief: Bringing  
0986 Them Together. In Ohlbach, H.J. & Reyle, U., eds., *Logic, Language and*  
0987 *Reasoning: Essays in Honour of Dov Gabbay*, vol. 5 of *Trends in Logic*, pp.  
0988 135–147. Kluwer Academic Publishers.

0989

0990 Veltman, F. (1985). *Logics for Conditionals*. PhD thesis, University of  
0991 Amsterdam.

0992

0993

0994

0995

0996

0997

0998

0999

1000

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032