

Voting as Selection of the Most Representative Voter

Ulle Endriss

Institute for Logic, Language and Computation

University of Amsterdam

[joint work with Umberto Grandi (Padova)]

Outline

- Examples
- Binary Aggregation with Integrity Constraints
- Representative-Voter Rules
- Approximation Results

Preference/Rank Aggregation

Expert 1: $\triangle \succ \circ \succ \square$

Expert 2: $\circ \succ \square \succ \triangle$

Expert 3: $\square \succ \triangle \succ \circ$

Expert 4: $\square \succ \triangle \succ \circ$

Expert 5: $\circ \succ \square \succ \triangle$

?

Judgment Aggregation

	p	$p \rightarrow q$	q
Judge 1:	True	True	True
Judge 2:	True	False	False
Judge 3:	False	True	False

?

Multiple Referenda

	<i>fund museum?</i>	<i>fund school?</i>	<i>fund metro?</i>
Voter 1:	Yes	Yes	No
Voter 2:	Yes	No	Yes
Voter 3:	No	Yes	Yes

?

[Constraint: we have money for *at most two projects*]

General Perspective

The last example is actually pretty general. We can rephrase many aggregation problems as problems of *binary aggregation*:

Do you rank option \triangle above option \circ ? Yes/No

Do you believe formula " $p \rightarrow q$ " is true? Yes/No

Do you want the new school to get funded? Yes/No

Each problem domain comes with its own *rationality constraints*:

Rankings should be transitive and not have any cycles.

The accepted set of formulas should be logically consistent.

We should fund at most two projects.

The *paradoxes* we have seen show that the *majority rule* does not *lift* our rationality constraints from the *individual* to the *collective* level.

Binary Aggregation with Integrity Constraints

The model:

- Set of *individuals* $\mathcal{N} = \{1, \dots, n\}$. Set of *issues* $\mathcal{I} = \{1, \dots, m\}$.
- *Integrity constraint* IC: propositional formula over $\{p_1, \dots, p_m\}$.
- *Ballot* $B \in \{0, 1\}^m$ *rational* if $B \models \text{IC}$. *Profile* $\mathbf{B} = (B_1, \dots, B_n)$.
- *Aggregator* $F : (\{0, 1\}^m)^n \rightarrow \{0, 1\}^m$. Would like $F(\mathbf{B}) \models \text{IC}$.

Example:

- $\mathcal{N} = \{1, 2, 3\}$. $\mathcal{I} = \{\text{mus}, \text{sch}, \text{met}\}$. $\text{IC} = \neg(\text{mus} \wedge \text{sch} \wedge \text{met})$.
- Profile: $\mathbf{B} = (B_1, B_2, B_3)$ with

$$B_1 = (1, 1, 0)$$

$$B_2 = (1, 0, 1)$$

$$B_3 = (0, 1, 1)$$

$B_i \models \text{IC}$ for all $i \in \mathcal{N}$, but $\text{Maj}(\mathbf{B}) = (1, 1, 1)$ and $(1, 1, 1) \not\models \text{IC}$.

Distance-based Aggregation

How to avoid paradoxes?

- Only consider outcomes that respect the integrity constraint.
- Which one to pick?—the one “closest” to the individual inputs.

These considerations suggest the following rule:

- The (Hamming) *distance* between an individual input and the outcome is the number of issues on which they differ.
- Elect the rational outcome that *minimises* the sum of distances to the individual inputs! (+ break ties if needed)

For rank aggregation (with issues being pairwise rankings), this is the *Kemeny rule* (widely considered a pretty good choice).

But: this is Θ_2^P -complete (“complete for parallel access to NP”). ☹

Taming the Complexity

Where does this complexity come from?

→ We need to search through all candidate outcomes.

- there might be exponentially many of those
- for each of them, checking rationality might be nontrivial

An idea:

- restrict set of choices to a small set of candidate outcomes
- make sure you can be certain all candidate outcomes are rational

The easiest way of doing this:

candidate outcomes = choices made by individuals (“*support*”)

Example

Find the outcome that minimises the sum of distances for this profile:

Issue:	1	2	3
20 voters:	0	1	1
10 voters:	1	0	1
11 voters:	1	1	0

Solution: $(1, 1, 1)$. The distance is **41** (41 voters \times 1 disagreement).

Note: same as majority outcome (as there's no integrity constraint).

Now suppose there's an IC that says that $(1, 1, 1)$ is not ok.

Example (continued)

Find the outcome that minimises the sum of distances for this profile:

Issue:	1	2	3
20 voters:	0	1	1
10 voters:	1	0	1
11 voters:	1	1	0

“Average voter” says: (0, 1, 1).

The distance is 42 (20 with no disagreements + 21 with 2 each).

So: not much worse (42 vs. 41), but easier to find (choose from 3 rather than $2^3 = 8$ outcomes; all 3 known to be rational *a priori*)

Additional Notation and Terminology

- *Hamming distance* between ballots: $H(B, B') = |\{j \in \mathcal{I} \mid b_j \neq b'_j\}|$
and between a ballot and a profile: $\mathcal{H}(B, \mathbf{B}) = \sum_{i \in \mathcal{N}} H(B, B_i)$.
- *Support* of profile \mathbf{B} : $\text{SUPP}(\mathbf{B}) = \{B_1, \dots, B_n\}$.

Rules Based on Representative Voters

Idea: Choose an outcome by first choosing a voter (based on the input profile) and then copying that voter's ballot.

Fix $g : (\{0, 1\}^m)^n \rightarrow \mathcal{N}$. Then let $F : \mathbf{B} \mapsto B_{g(\mathbf{B})}$.

Good properties (of all these rules):

- *No paradoxes* ever, whatever the IC (not true for any other rule)
- *Unanimity* guaranteed [obvious]
- *Neutrality* guaranteed [maybe less obvious]
- *Low complexity* for natural choices of g

But:

- Includes some really bad rules, such as Arrovian *dictatorships*:

$g \equiv i$, i.e., $F : (B_1, \dots, B_n) \mapsto B_i$ with i being the dictator

Two Representative-Voter Rules

The *average-voter rule* selects those individual ballots that minimise the Hamming distance to the profile:

$$\text{AVR}(\mathbf{B}) = \underset{B \in \text{SUPP}(\mathbf{B})}{\text{argmin}} \mathcal{H}(B, \mathbf{B})$$

Remark: if you replace the set $\text{SUPP}(\mathbf{B})$ by $\text{Mod}(\text{IC})$, the set of *all* rational outcomes, you obtain the full distance-based rule.

The *majority-voter rule* selects those individual ballots that minimise the Hamming distance to one of the majority outcomes:

$$\text{MVR}(\mathbf{B}) = \underset{B \in \text{SUPP}(\mathbf{B})}{\text{argmin}} \min\{H(B, B') \mid B' \in \text{Maj}(\mathbf{B})\}$$

Connections:

- AVR related to *Kemeny* rule in voting / rank aggregation.
- MVR related to *Slater* rule in voting / rank aggregation.

Example

The AVR and the MVR really can give different outcomes:

Issue:	1	2	3	4	5	6
1 voter:	1	0	0	0	0	0
10 voters:	0	1	1	0	0	0
10 voters:	0	0	0	1	1	1
Maj:	0	0	0	0	0	0
MVR:	1	0	0	0	0	0
AVR:	0	1	1	0	0	0

Two More Representative-Voter Rules

We can also adapt *Tideman's* ranked-pairs rule from voting theory.

The *ranked-voter rule* (RVR) works as follows:

- order the issues by majority strength
- lock in issues in order of majority strength, whilst ensuring that the outcome remains within the support

The *plurality-voter rule* (PVR) selects the ballot chosen most often:

$$\text{PVR}(\mathbf{B}) = \underset{B \in \text{SUPP}(\mathbf{B})}{\text{argmax}} |\{i \in \mathcal{N} \mid B = B_i\}|$$

The rank aggregation version of this rule has recently been proposed as a good maximum likelihood estimator by Caragiannis, Procaccia, and Shah (“modal ranking rule”).

Approximation

F is said to be an α -*approximation* of F' if for every profile B :

$$\max \mathcal{H}(F(B), B) \leq \alpha \cdot \min \mathcal{H}(F'(B), B)$$

How well do our rules F approximate the *distance-based rule* F' ?

- AVR: average-voter rule
- MVR: majority-voter rule
- RVR: ranked-voter rule
- PVR: plurality-voter rule
- Arrovian dictatorships $F_i : B \mapsto B_i$

Good would be: α is a (small) *constant*

Bad would be: α depends on n or m , not bounded by any constant

Focus on $\text{Maj} = \text{DBR}^\top$: harder to approximate than any other DBR^{IC} .

Very bad: Dictatorships

What's the worst possible scenario?

- one voter says $111 \cdots 111$, all others $(n-1)$ say $000 \cdots 000$
- majority rule would pick $000 \cdots 000$: *distance* m
- your rule picks $111 \cdots 111$: distance $m \cdot (n-1)$

Thus: worst approx. ratio for any rep-voter rule is $\frac{m \cdot (n-1)}{m} \in O(n)$

Arrowian dictatorships are maximally bad (unsurprisingly):

Proposition 1 Every Arrowian *dictatorship* $F_i : \mathbf{B} \mapsto B_i$ is a $\Theta(n)$ -*approximation* of the majority rule.

Proof: See above example, with dictator saying $111 \cdots 111$. ✓

Almost as bad (!): RVR and PVR

Recall two of our more sophisticated rules:

- **RVR**: fix issues by majority strength, staying within support
- **PVR**: return most frequent ballot

Bad news:

Theorem 2 *RVR and PVR are $\Theta(n)$ -approximations of Maj.*

Proof idea:

	$n-2$	$m-(n-2)$
	$\underbrace{\hspace{10em}}$ $\underbrace{\hspace{10em}}$	
Voter 1:	0	1
	1111...111.....1	
Voter 2:	1	0
	1111...111.....1	
⋮	⋮	⋮
Voter $n - 2$:	1	0
	1111...101.....1	
Voter $n - 1$:	1	0
	1111...110.....0	
Voter n :	1	0
	1111...110.....0	

Remark: Similar result when assuming $m < n$, namely $\Omega(m)$.

Good: MVR and AVR

Recall: the MVR selects the ballot closest to the majority outcome.

Theorem 3 *The MVR is a (strict) 2-approximations of Maj.*

Proof idea: use triangle inequality! ✓

Recall: the AVR selects the ballot closest to the input profile. Thus:

Lemma 4 *The AVR approximates Maj at least as well as any other representative-voter rule (thus: also a strict 2-approximation).*

Our most positive result:

Theorem 5 *Suppose m (the number of issues) is constant.*

Then the AVR is a $2^{\frac{m-1}{m}}$ -approximation of Maj. [not true for MVR]

Recall that we can get better approximation ratios for $IC \neq T$.

Other Criteria for Comparison

Complexity: Both ok, but the MVR can be computed more efficiently.

- Winner determination for the MVR is in $O(mn)$.
- Winner determination for the AVR is in $O(mn \log n)$.

Axiomatics: AVR satisfies and MVR fails a form of *reinforcement*.

$$\begin{aligned} \text{SUPP}(\mathbf{B}) = \text{SUPP}(\mathbf{B}') \quad \text{and} \quad F(\mathbf{B}) \cap F(\mathbf{B}') \neq \emptyset \quad \Rightarrow \\ F(\mathbf{B} \oplus \mathbf{B}') = F(\mathbf{B}) \cap F(\mathbf{B}') \end{aligned}$$

Last Slide

This work is part of a larger effort to better understand the powerful framework of *binary aggregation with integrity constraints*. The focus today has been on identifying good and simple rules to use in practice.

- Simple (maybe simplistic) idea: pick a representative voter + copy
- Surprisingly, this *can* work very well; we *can* get good properties:
 - guarantee to never encounter a paradox
 - low complexity
 - good social choice-theoretic axioms (though not independence)
 - for some: good approximation ratios w.r.t. distance-based rule

U. Endriss and U. Grandi. Binary Aggregation by Selection of the Most Representative Voter. *Proc. AAI-2014*.